PUBLIC GUIDANCE SYSTEMS





2 1/2 Table of Contents

| Traditional Posts | |
|---|-------|
| Portable Traditional Posts | 4-5 |
| Ropes and Finishes | 6 |
| Removable Traditional Posts | 7 |
| HOOKS, CHAINS & WALLPLATES | 7 |
| Beltrac [®] Public Guidance System | |
| Beltrac [®] 3000 Series | 8-9 |
| Beltrac Contempo Designer tm Series | 10 |
| Beltrac Infinity ^{12tm} Series | 11 |
| Beltrac [®] 3000 ^{12tm} Series | 11 |
| Beltrac Contempo Utility tm Series | 12 |
| Exhibit Posts | 13 |
| Beltrac Tempest TM Series | 14 |
| Beltrac Double Line & Rigid Rails | 15 |
| Post Finishes | 16 |
| Belt Colors | 17 |
| Beltrac Removable Posts | 18 |
| Beltrac Overview | 18 |
| BELTRAC REPLACEMENT PARTS | |
| & ACCESSORIES | 19 |
| BELTRAC WALL MOUNT UNITS | 20 |
| SAFETY BARRIER SOLUTIONS | 21 |
| Beltrac Post & Panel System | 22 |
| Beltrac Privacy Booths | |
| & Swing Gates | 23 |
| Post Transporter, Baggage Sizer | |
| & OUTDOOR BARRICADES | 27 |
| Signage | |
| R ADIUS CORNER SIGN FRAMES | 24 |
| TRADITIONAL POST SIGNAGE | 25 |
| LIGHT DUTY SIGN FRAMES | 26 |
| SIGNAGE INSERTS | 26 |
| DIRECTRAC [®] POST AND CARTRIDGES | 28 |
| DIRECTRAC [®] BASE OPTIONS | 29 |
| Directrac [®] Wall Mount, Kiosk | |
| & BACKLIT PANELS | 30 |
| Poster Display Sign Frames | 31 |
| QUICKCLIP™ | 32 |
| <mark>_</mark> NeXtrac [™] In-Line Retail System | |
| System Overview | 33 |
| How IT Works | 34 |
| RIGID RAILS | 35 |
| SURFACES & MERCHANDISERS | 36-37 |
| BANNERS & SIGNS | 38 |
| FINISHES & SPECIFICATIONS | 39 |

This Public Guidance and Signage catalog is one of three all-inclusive catalogs. Our complete catalog set consists of Public Guidance Systems, Hospitality Fixtures and Railing Components

Lavi Industries was founded in 1979 for the purpose of producing architectural products that meet the highest quality standards for commercial and retail environments. Our superior products are achieved through uncompromised design and manufacturing, using the highest quality materials available. We serve our broad customer base from our corporate headquarters in Valencia, California, our East Coast manufacturing and distribution facilities in Brewster, New York, as well as satellite sales offices in Texas and Illinois.

We have one of the largest on-hand inventories in the industry enabling us to efficiently serve our customers in today's demanding marketplace. We take pride in our outstanding customer service, skilled sales and operations staff who all ensure the satisfaction of our customers.

The products in this catalog are continuously being developed and improved upon. Specifications, data and dimensions may change without notice. When these specifications or colors are critical, consult factory for current information.

3



Engineered for



Product Innovation



the Real World.



Portable Traditional Posts Lavi Traditional Posts are classically styled to elegantly guide the public or cordon off a selected area.


| 2010 Regal | 2020 Traditional | 2030 Темро | 2050 Marquis | 2060 Crown | 2012 Regal Duo-Ton | 2062 E Crown Duo-Tone |
|---------------|---------------------|---------------|-----------------|---------------|-----------------------|--------------------------|
| 38" Height | 38" Height | 35" Height | 36" Height | 41" Height | 38" Height | 41" Height |
| 12" Base Dia. | 11" Base Dia. | 12" Base Dia. | 12" Base Dia. | 11" Base Dia. | 12" Base Dia. | 11" Base Dia. |
| 31 Pounds | 25 Pounds | 24 Pounds | 31 Pounds | 31 Pounds | 31 Pounds | 31 Pounds |

Traditional Post Finishes

| | 2010 | 2020 | 2030 | 2050 | 2060 | 2012 | 2062 |
|------------------------------|------|------|------|------|------|------|------|
| POLISHED STAINLESS | • | • | • | | • | | |
| SATIN STAINLESS | • | • | • | | • | | |
| POLISHED CHROME | • | • | • | • | • | • | • |
| LIDO-TONE [®] | | • | | | | | |
| Clear Coat Polished Brass | • | • | • | • | • | | |
| POLISHED BRASS | • | • | • | • | • | • | • |
| DARK BRONZE | | • | | • | • | | |

Traditional Posts 🏒 5

Removable Posts Daw 7



| 2110 Director | 2130 Concourse | 2131 Lev-gal | 2070 Noble I | 2080 Noble II |
|------------------|-------------------|-----------------|-----------------|------------------|
| 41" Height | 38" Height | 38" Height | 43" Height | 43" Height |
| 14" Base Dia. | 14" Base Dia. | 14" Base Dia. | 18" Base Dia. | 18" Base Dia. |
| 29 Pounds | 28 Pounds | 24 Pounds | 35 Pounds | 35 Pounds |

Traditional Post Finishes

| | | | | | | | | JUJ Page / |
|------------------------------|------|------|------|------|------|------|------|------------|
| | 2110 | 2130 | 2131 | 2070 | 2080 | 2016 | 2036 | 2136 |
| POLISHED STAINLESS | • | • | • | | | • | • | • |
| SATIN STAINLESS | • | • | • | | | • | • | • |
| POLISHED CHROME | | | | | | • | • | |
| LIDO-TONE [®] | | • | | | | • | • | |
| Clear Coat Polished Brass | • | • | | • | • | | | |
| POLISHED BRASS | • | • | | | | • | • | |
| Dark Bronze | | | | | | | | |



Ropes

Ropes are available in rich velour, vinyl, handsome tweed, natural hemp or braided nylon.

Braided & Tweed Ropes



Tweed (N)

Velour Ropes




Vinyl Ropes



Metal Finishes



Lido-Tone[®] Wet-Look Finishes



Dark

Bronze


(07)



FINISH SPECIFICATIONS When ordering posts please precede model number with finish designation .:


- 00 **Polished Brass**
- 02 Polished Brass, Clear Coated
- 04 Satin Brass
- 07 Dark Bronze
- 10 Polished Chrome
- 26 Lido-Tone®
- 40 Polished Stainless Steel
- 44 Satin Stainless Steel

Lido-Tone® Textured Finishes



If you have questions or to place an order call us at Toll Free: (800) 969-6699 - Toll Free Fax: (888) 979-4488

Traditional Posts 🧾 7






135 No. 4 **HEAVY CHAIN** Stainless Steel/ Chrome/ Brass

935 CHAIN SNAP Stainless Steel/ Brass

936 NAUTICAL CHAIN SNAP Brass



950 WALL PLATE

Stainless Steel/ Brass 952/1H RADIUS PLATE - 1-1/2" TUBING Stainless Steel / Brass 952/2 RADIUS PLATE - 2" TUBING Stainless Steel / Brass

930 1-1/2" SNAP ROPE HOOK Stainless Steel/ Brass 931

1" SNAP ROPE HOOK Chrome/ Brass

932


1-1/2" ROPE HOOK Stainless Steel / Brass

Chains, Hooks & Wall Plates



8 🎽 Beltrac[®] Public Guidance System

Beltrac[®] 3000 Posts



50-3000CL Beltrac® 3000 Shown in Polished Chrome.



50-3000GD Beltrac[®] 3000 Shown in Gold.

50-3000SA Beltrac® 3000 50-3000WB Shown in Satin Aluminum. Beltrac[®] 3000

Shown in Wrinkle Black.

Patent No. D343690

SLOW RETRACT MECHANISM Beltrac's belt retracts slowly and safely every time thanks to our unique centrifugal belt-

braking mechanism.

Beltrac[®] Public Guidance System 9



4-WAY RECEPTACLE Beltrac's patented integral "dove tail" receptacles make every post a standard 4-way intersection.



910LK BELTLOC™

Beltrac's exclusive Beltloc option is a fully automatic metal locking system that prevents accidental release of belts. Beltloc[™] will also securely lock signs in place.



3011 WALL RECEPTACLE

Post-to-wall configurations are possible with the installation of our wall receptacle.



RMECH7 REPLACEMENT MECHANISM

Beltrac's mechanism is easy to replace and allows you to change belt colors or messages without changing the entire post.



10 🏅 Beltrac[®] Public Guidance System

Beltrac Contempo Designer[™] The Contempo Designer models are manufactured from either the highest quality solid brass or solid steel. Our full range of Lido-Tone® finishes, belt options and a choice of 2 base diameters affords you total design freedom! For a complete listing of Lido-Tone[®] colors, please see Contempo Designer[™] Page 16. Please see belt colors **Finishes** and options on Page 17. Polished Polished Satin Brass, Lido-Tone® Brass. Brass, Clear (26)Clear Coated (00) Coated (02)(04)Please precede model number with finish designation. Example: 02-40701 Polished Brass, 26-40702 **Comtempo Designer** clear coated Contempo Designer with 12.5" Base. Shown in Lido-Tone® Statuary Bronze with 14" Base. 02-40701 Beltrac Contempo Stainless[™] **Comtempo Designer**[™] Shown in Polished, Clear Coat, Solid Brass with 12-1/2" Base. Beltrac Contempo Stainless[™] is built for elegance and durability. Manufactured from solid stainless steel, the standard features include a 14" base and the Beltloc[™] belt and sign locking mechanism. The Contempo Stainless™ **Contempo Stainless can be Finishes** used in outdoor applications. Polished Satin Stainless Stainless Steel Steel (40)(44)Contempo Designer[™]/Contempo Stainless[™] **POST DIMENSIONS** Height 40''

40-40702 Comtempo Stainless™ Shown in Polished Stainless Steel with 14" Base.

Patent No. D343690

04-40701

Comtempo Designer™

Shown in Satin, Clear Coat,

Solid Brass with 12.5" Base.


Hitt Marking Devices - Toll Free: (800) 969-6699 - Toll Free Fax: (888) 979-4488 - www.hittmarking.com

Weight

Base Belt Length 30 lbs


12-1/2" and 14"

Beltrac[®] Public Guidance System 11



12 🏅 Beltrac[®] Public Guidance System

www.lavi.com



Comtempo Utility[™] Shown in Polished Chrome with 12.5" Wrinkle Charcoal Base.

Beltrac[®] Public Guidance System 13

Exhibit Posts

Our 24" exhibits posts are ideal for safeguarding exhibits by establishing a visual perimeter and allowing an unobstructed view.

All posts are available in a variety of styles and finishes.



14 🎽 Beltrac[®] Public Guidance System

Beltrac Tempest[™]

Weatherproof.

The Beltrac Tempest[™] is a single connection post featuring a 12' slow retracting belt and is constructed of weatherproof HDPE plastic; High **Density PolyEthylene. The posts are** designed for quick assembly on site allowing for easy transport and storage.

| 38-1/4" |
|-----------|
| 3.98 lbs |
| 17.55 lbs |
| 15" |
| 12' |
| |

80-5000BK1 Beltrac Tempest[™] Shown in Black Post with Gray Base.



80-5000BK Beltrac Tempest[™] Shown in Black Post with Black Base.

Beltrac Tempest[™] Post Color Options Base Color Options



Black (BK)

Grav (GY)



80-50000R Beltrac Tempest[™] Shown in Orange Post with Black Base.

Warranty - one year for post and mechanism.



The hollow base is filled with liquid or sand.



Beltrac[®] Public Guidance System 15



Available in 3', 4' and 6' lengths and includes 1 rail and 2 hinge connectors. Posts and accessories sold separately.

16 Beltrac® Public Guidance System

www.lavi.com




Please refer to Page 18 to match your choice model with available finish.

Beltrac[®] Public Guidance System 17

Beltrac Belts

Our Beltrac belts are available in a wide variety of belt colors. Our inhouse belt imaging department can display your logo and/or message to reinforce your company identity based on the EPS digital illustration artwork you supply to us.





18 🏅 Beltrac[®] Public Guidance System

Permanent/Removable Post Options





REMOVABLE (A)

The Floor Socket supports a removable post. When the post is not in use, the flush cap seals the socket opening. This option is available for all Beltrac 7ft posts and traditional posts. $5^{-3}/_{16}$ " Dia. x $4^{-1}/_{16}$ " Depth (Custom depth available)



PERMANENT (B)


Post can be permanently secured by using a surface mounted flange. This option is available for all Beltrac 7ft posts and traditional posts (541/2) and decorative canopy (540BT). 4" Dia. $x \frac{3}{3}$ " H

Beltrac Product Line Overview

| | 3000 | Contempo Utility™ | Contempo Designer™ | Contempo Stainless™ | Infinity ^{12™} | Infinity ¹² S [™] | Beltrac 3000 ¹² | Beltrac Tempest™ |
|-----------------------|---------------------------------|---|---------------------------------|---|---------------------------------|---|---------------------------------|---------------------------------|
| Post Height | 40 inch | 40 inch | 40 inch | 40 inch | 40 inch | 40 inch | 40 inch | 38 inch |
| Weight | 28 lbs | 30 lbs | 30 lbs | 30 lbs | 32 lbs | 32 lbs | 30 lbs | 17.55 lbs |
| Post Construction | Aluminum | Steel | Steel, Brass | Stainless Steel | Steel | Stainless Steel | Aluminum | HDPE Plastic |
| Finish (Page 16) | Anodized Lido-Tone® | Wrinkle Black, Chrome Wrinkle Charcoal | Brass, Lido-Tone® | Polished Stainless Steel Satin Stainless Steel | Lido-Tone° | Polished Stainless Steel Satin Stainless Steel | Satin Anodized, Lido-Tone® | HDPE Plastic |
| Base Cover | Metal or Plastic | Powder Coat Over Base | Metal or Plastic (14") | Stainless Steel | Metal or Plastic | Stainless Steel | Metal or Plastic | None |
| Slow Retracting Belt | Yes | Yes | Yes | Yes | Yes | Yes | Yes | Yes |
| Belt Length | 7 ft | 7 ft | 7 ft | 7 ft | 12 ft | 12 ft | 12 ft | 12 ft |
| Beltloc™ | Option | Option | Option | Yes | Option | Yes | Option | No |
| 4-way Belt Connection | Yes | Yes | Yes | Yes | Yes | Yes | Yes | No |
| Base Diameter | 14 inch | 12.5 inch | 12.5 or 14 inch | 14 inch | 14 inch | 14 inch | 14 inch | 15 inch |
| Rubberized Base | Yes | Yes | Yes | Yes | Yes | Yes | Yes | No |
| Signage Ready | Yes | Yes | Yes | Yes | Yes | Yes | Yes | No |
| Outdoor Usage | Option | No | No | Option | No | Option | Option | Yes |
| Warranty | 5 yr / Post 3 yr / Mechanism | 5 yr / Post 3 yr / Mechanism | 5 yr / Post 3 yr / Mechanism | 5 yr / Post 3 yr / Mechanism | 5 yr / Post 3 yr / Mechanism | 5 yr / Post 3 yr / Mechanism | 5 yr / Post 3 yr / Mechanism | 1 yr / Post 1 yr / Mechanism |

Beltrac[®] Public Guidance System 🏒 19

Beltrac Replacement Parts and Accessories



20 🏅 Beltrac[®] Public Guidance System

Beltrac Wall Mount Units

Our line of Beltrac wall mounted solutions offer more options for security and guidance. Best suited to section off aisles, corridors and cash registers.

3010

BELTRAC WALL MOUNT UNIT

The compact Beltrac Wall Mount can be used to close off cash register stations and eliminate dangling chains and signs. 7 ft. belt span. Available in all Beltrac[®] 3000 7 ft. series finishes and belt colors, please see page 16.



41300 Beltrac 12' Wall Mount Unit

This Beltrac Wall Mount has a slightly larger in diameter to house a 12 ft. belt then our 7 ft. model. This unit is long enough to block off an entire store section or department area. Available in Satin Aluminum (SA) and Lido-Tone^{*}(26) Finishes. Please see page 16.



BELTRAC 18' WALL MOUNT

18 ft. Beltrac Wall Mount is ideal for closing off wide corridors. Housing available in polished chrome or Lido-Tone[®] colors. Belt available in all belt colors.





3011 WALL RECEPTACLE Post-to-wall configurations are possible with the installation of our wall receptacle.




41300WB/CM Beltrac CounterMount Unit

This compact 12 ft. retractable Countermount unit includes a double-sided "Lane Closed" message.

$\begin{array}{c} \textbf{Bottom View} \end{array}$

3012 Beltrac Recessed Wall Unit

Mechanism is concealed within the wall with only a flush Satin Aluminum face plate exposed. 7 ft. belt.



Beltrac[®] Public Guidance System 🗾 21



QuickMount[™] Safety Barrier Solutions


Ideal for improving safety in a warehouse or similar environment, we developed a temporary closure solution... a full line of products that ensure an effective "safety zone" wherever it's needed.

STANDARD SAFETY MESSAGES Caution • Please Do Not Enter Please Do Not Enter • Temporarily Closed

3016M

18' QUICKMOUNT[™]

Designed for temporary mounting conditions, such as warehouse shelving or trailer attachment, available with a 18' belt span. Housing available in Safety Yellow or Wrinkle Black.



Same unique system as QuickMount, but for a permanent attachment, available with a 18' belt span Housing available in Safety Yellow or Wrinkle Black.







3³/4"





Top View

I-Beam or Rack Upright





Beltrac[®] Public Guidance System

Post and Panel System



Frame Specifications:


Finish: Satin Aluminum (SA), Wrinkle Black (WB)

Panel Specifications:

Thickness: ¼" standard Color: Black, white, gray, smoked acrylic, clear acrylic (2 pieces ¼" for posters)

Post and Panel usage instructions are available on line at www.lavi.com.


As Shown: Clear panels with poster insert. Custom Finishes available.



| PART NO. | Post Height | Frame Height | Frame Width | Center Line | Insert Dims |
|-----------|-------------|--------------|-------------|---|-------------|
| FP300S/4 | 40" | 32" | 50" | 55-5/16" | 30"H x 48"W |
| FP300S/5 | 40" | 32" | 62" | 67-5/16" | 30"H x 60"W |
| FP300S/6 | 40" | 32" | 74" | 79- ⁵ / ₁₆ " | 30"H x 72"W |
| FP300TS/4 | 66" or 72" | 50" | 50" | 55-5/16" | 48"H x 48"W |
| FP300TS/5 | 66" or 72" | 50" | 62" | 67-5/16" | 48"H x 60"W |
| FP300TS/6 | 66" or 72" | 50" | 74" | 79-⁵/ 16" | 48"H x 72"W |

Beltrac[®] Public Guidance System 🗾 23

Lavi Industries' Privacy Booths are designed to give you maximum privacy in a variety of settings. One of the most popular settings is at airports. These "portable rooms" are made from our Beltrac posts and come in opaque fabric. The "Rip-Stop Nylon" material is rip resistant, fire retardant and comes in matte black. Privacy Booths are easy to maneuver from one location to another depending on your security needs.



Beltrac Privacy Booths

| 2 | ease | |
|---|------|--|
| N | ait | |
| H | ere | |

Beltrac Swing Gates

In a world where security is a top concern, Lavi has developed portable swinging gates that visually alert and block the public from potentially unsafe or restricted areas. The spring loaded gate is easily attached to any Beltrac[®] post to create an instant access gate in a matter of minutes.

| Part Number | DESCRIPTION |
|-------------|-----------------------|
| 3000GATE/1L | Left Swinging Gate |
| 3000GATE/1R | Right Swinging Gate |
| 3000GATE/2 | Double Swinging Gates |

PART NUMBER

26-PB175

60-PB300 60-PB301

60-PB302



The gate panels are constructed from black durable plastic coated foam board and can be silkscreened with messages on both sides.

24 🏅 Signage

Radius Corner Sign Frames



Lavi Industries offers a wide variety of sign frame sizes and options. All of our frames, in combination with Beltrac's exclusive Beltloc[™] option, provide tamperproof signage. Two clear acrylic panels are included with the frame. Our 22" x 28" sign frame is the strongest frame this size in the industry.

| Sign Fr | ame | | | Sign Frames | | | | | |
|--|---------------------------|-----------|-----------|-------------|------------|-----------|--|--|--|
| Finishe | | | | Model No. | Horizontal | Vertical | | | |
| | | Dimension | Dimension | | | | | | |
| | | 1000 | | 50-1130H | 11 Inches | 7 Inches | | | |
| 1000 | 50-1130V | 7 Inches | 11 Inches | | | | | | |
| Polished | Polished Matte Satin Gold | Gold | 50-1131H | 14 Inches | 11 Inches | | | | |
| Chrome Black Aluminum (G (CL) (MB) (SA) | (GD) | 50-1131V | 11 Inches | 14 Inches | | | | | |
| (02) | (| (07) | | 50-1134V | 14 Inches | 22 Inches | | | |
| | | | | 50-1136V | 22 Inches | 28 Inches | | | |

Our sign frames feature smooth radius corners that eliminate sharp edges near your customers.




Sign frame ordering is as easy as 1 - 2 - 3







Signage 🏒 25



Not available in Lido-T

Coat

(02)

frame.

26 🏅 Signage

Light Duty Sign Frames

These attractively priced frames serve your signage needs when less customer traffic is anticipated.

When radius corners are desirable, please see Sign Frames on page 24.




| Part Number | MEDIA SIZE |
|-------------|------------|
| 10-1150 | 5-½" x 7" |
| 10-1151 | 7" x 11" |
| 10-1152 | 11" x 14" |

Signage Inserts

With our rapid in-house sign making capabilities, your custom message or graphics are just a phone call away. Here's just some of our most requested messages.

Sign frames and panels provide an easy means of communicating with your customers.







Luftha

) as

STAR ALLIAN

Please

Wait Here

For Next

Available

Agent

AmericanAirlines Americanfagle

Beltrac[®] Public Guidance System 17 27



Post Transporter

16 CART 16-Post Transporter

Even fully loaded, our 16-post transporter moves with ease. It's rugged design includes non-marking bumpers and non-marking gray heavy-duty wheels as standard features. 30" W x 54" L x 57" H

Baggage Sizer and Outdoor Barricade






Directrac® Sign Stands

Changing media, posters or signs, takes only seconds with Directrac's removable inner cartridge which easily slides out from the frame's side door. The lightweight, removable cartridge is available in a variety of options, including changeable letters, strip channels and a poster-holder which attaches posters and signs on both sides with a springloaded clip mount.

Directrac[®] is available in both freestanding or wall-mountable versions with a variety of finishes to fit any décor. Standard size is 22"x 28". Other sizes can be accommodated.



US Patent No. 5,987,794. Directrac is a registered trademark of Lavi Industries.

Directrac Sign Stand integrates changeable cartridges in a variety of media



POSTER DISPLAY CARTRIDGE Our poster display cartridge utilizes spring-loaded clip mounts to securely hold posters in place with ease. Available with any media on reverse side.



CHANGEABLE LETTER CARTRIDGE The changeable letter cartridge is perfect for continual change in messaging with its grooved panel and plastic letters. Available with poster display board on reverse side.




STRIP CHANNEL CARTRIDGE

With the strip-channel cartridge you have simple directional messaging. Available with poster display board on reverse side.



Directrac® Sign Stands and Wall Mounts



30 🔰 Signage

Directrac® BackLit Post and Kiosk



4533 DIRECTRAC® KIOSK The Directrac Kiosk is 3-sided for 360 degree viewing. Incorporates all the unrivaled features of Directrac. $26^{-1/2}$ " W x $26^{-1/2}$ " D x 68" H

Weikeme to Burback Asport Hot

JUEST REGISTRATION

ELEVATORS GUEST ROOMS

4505

DIRECTRAC® BACKLIT POST Backlit for vibrant display.

 $23-\frac{3}{8}$ " W x $16-\frac{1}{4}$ " D x $62-\frac{1}{2}$ " H



Directrac[®] Overview

| DIRECTRAC® | 4500 | 4520 |
|--------------------------------|--|--|
| Frame Size | 22" x 28" | 24" x 36" |
| Total Height | 62-1/2" | 67-1/2" |
| Weight | 57 lbs | 61 lbs |
| Frame Material | Anodized Aluminum | Anodized Aluminum |
| Base Option | "H" or Curved-Cast | "H" or Curved-Cast |
| Locking Hinge | Yes | Yes |
| "H" Base Dimensions | 23- ³ / ₈ " W 16- ¹ / ₄ " D | 23- ³ / ₈ " W 16- ¹ / ₄ " D |
| Curved-Cast Base Dimensions | 23-½" W 16-½" D | 23-½" W 16-½" D |
| Base Wheels | Option | Option |
| Weighted Base | Option | Option |
| Brochure Holder | Option | Option |
| Un-assembled Shipping | With "H" Base | With "H" Base |

STANDARD FINISH OPTIONS FOR FRAME & BASE

| STAND FINISHES | CURVED-CAST BASE | "H" BASE |
|------------------------|-----------------------|-----------------------|
| Wrinkle Black (WB) | Wrinkle Black (WB) | Wrinkle Black (WB) |
| Gold Anodized (GD) | Wrinkle Black (WB) | Gold Lido-Tone (LT) |
| Satin Al Anodized (SA) | Wrinkle Charcoal (WC) | Wrinkle Charcoal (WC) |

CUSTOM FINISH OPTIONS FOR FRAME & BASE

| STAND FINISHES | CURVED-CAST BASE | "H" BASE | |
|-----------------------|------------------------------------|-----------------------|--|
| Gloss Black (GB) | N/A | Gloss Black (GB) | |
| Wrinkle Charcoal (WC) | Wrinkle Charcoal (WC) | Wrinkle Charcoal (WC) | |
| Hunter Green (HG) 🕸 | Wrinkle Black (WB) | Hunter Green (HG) | |
| Verdi Gris (VG) 🛛 🕸 | Wrinkle Black (WB) Verdi Gris (VG) | | |
| Pacific Sand (PS) | Wrinkle Black (WB) | Pacific Sand (PS) | |
| Wheel White(WW) | Wrinkle Charcoal (WC) | Wheel White (WW) | |

Fast Ship – does not require a minimum quantity order and are usually available for immediate delivery

Minimum Price and Quantity required – contact Lavi for additional information





2201 SINGLE SIGN DISPLAY

Single Sign Stand Display with hollow base. Available in Chrome(10) and Matte Black(MB) 56" H x 24" W x 15" D



2202 **DOUBLE SIGN DISPLAY**

Double Sign Stand Display with hollow base. Available in Chrome(10) and Matte Black(MB). 59" H x 24" W x 15" D

4203/22VS SINGLE SIGN DISPLAY WITH 15" SOLID BASE

Single Sign Stand Display with 15" x 20" solid base. Available in Chrome(10) finish. 60" H x 22-¼" W x 15" D

Poster Display Sign Stands

Finishes

Polished Matte Chrome (10)

Black (MB)

Easel Finishes Satin Matte

Aluminum Black (SA) (MB)

FLOOR EASEL

This freestanding easel is great for attracting your customers as they pass by or as they enter. Available in Satin Aluminum(SA) and Matte Black(MB) finishes. 50-4556 - 22" x 28" Media Size 50-4557 - 24" x 36" Media Size



signs and holds up to 1/4" signboard.

All sign frames have top loading media.

Poster Display Sign Stands

Let your message be heard loud and clear with our value line of sign frames. They are built to last and simple to use. Available in single and double displays for 22" x 28"

808916 **OPTIONAL BASKET** Fits all poster displays. 13-³/₈" L x 5" W x 7" H

Easels





Quick Clip[™]

All sides of the

frame simply


flip open.

The versatile QuickClip[™] wall mounted poster frame utilizes four hinged sides that simply flip open and close in a snap. The slim profile design with concealed mounting comes with clear poster overlay. No lamination of paper poster is required!

Insert your

poster.

4540 THRU 4548 1-¹/₄" MITRE CORNER QUICKCLIP[™] POSTER FRAME



QuickClip[™] Mitre Corner Finishes







A LOAN

OUT ALL

ASSLES

Flip each side

closed.

That's it.

LOAN

Place the clear

protective

overlay on top.

HOUT ALL

NeXtrac[™] In-Line Retail System 13 33



NeXtrac[™] In-Line Retail System

As a result of listening to our customers, we called upon our expertise in public guidance to blend the category concept with merchandising and retail design. Lavi Industries proudly offers NeXtrac[™], the inline retail system for impulse sales.

The NeXtrac[™] retail system is based on our Beltrac posts and is compatible with most major merchandising hardware systems, practically eliminating the need to purchase additional components. The system's flexibility, ease of configuring, rugged construction and low maintenance enhance cost effectiveness. We designed NeXtrac[™] in cooperation with retail fixture specialists to better serve your needs.

Let NeXtrac[™] transform your queuing floor space into a virtual store!



34 🏒 NeXtrac[™] In-Line Retail System

How Does It Work?

The dovetail grooves in our Beltrac[®] 3000 posts are the key to creating a NeXtrac[™] system. These grooves provide easy assembly when adding a panel, table, rail, display tray or signage.



With a simple twist of the wrist, the connectors are tightened into the

dovetail groove of a Beltrac post.

50-GCA200 / 50-GCA400 Adjustable Connectors

Adjustable grip connectors allow for easy assembly when connecting a panel, frame or wire grid to any Beltrac^{*} 3000 post. We offer both a standard 2" grip connector and a 2" hinge grip connector which allows for flexibility when setting up your display. These are available in Satin Aluminum(C) or Matte Black(MB) Anodized finishes.



50-GCA200 Hinge Connector Shown in Satin Aluminum. 50-GCA200/2 Grip Connector

Shown in Matte Black.

50-RRA100 Rigid Rail Assembly Shown in Satin Aluminum, with 2 Hinge Connectors.

50-3000SA Beltrac[®] 3000 Shown in Satin Aluminum.



NeXtrac[™] In-Line Retail System **1** 35

Rigid Rails

Rigid Rails provide a structural option for your public guidance needs. These rails allow for easy merchandising and are designed with flexibility in mind.

Not only do the rails give your queuing line a unique appearance, they allow you the freedom to hang merchandise, literature holders and shelves directly onto the rails.

All NeXtrac[™] components work with our Beltrac[®] 3000 Posts.



FLEXIBILITY

The special hinge connectors on our Rigid Rails were designed to allow for 90 degree angles.



807236 6'' Hooks

Simply place hooks onto the Rigid Rails to display your merchandise.



20-AC100 Shelf

Add shelves to your queuing line for additional merchandising opportunities. 12" x 12" Available in Lido-Tone^{*} Finishes.



SIGNAGE Add signage for branding or other messaging purposes.



50-CRA100/4 Curved Rigid Rails

For a contemporary look utilize our curved Rigid Rails to enhance your queuing line.

36 🏒 NeXtrac[™] In-Line Retail System

Surfaces and Merchandisers



Win A Trip For Two

50-SWFA105 Framed Slat Wall Panel

A double sided 47" x 36" framed aluminum slat wall panel with grip connectors that quickly and easily attaches to any Beltrac^{*} 3000 post. This product is light weight, waterproof and easy to clean. The slat wall is currently available in Satin Aluminum finish with matching Satin Aluminum(C) frame or Wrinkle Black(WB) frame. (Custom sizes available upon request.)

50-NX100 Framed Wire Grid Panel

A double sided 48" x 30-¹/₂" framed wire grid panel with grip connectors that quickly and easily attaches to any Beltrac^{*} 3000 post. The wire grid accommodates most standard hook and shelving accessories. The wire grid is currently available in Gray(GY) or Matte Black(MB) finishes with matching frames.





50-4612 QuickClip[™] Frame Panel

You can quickly and easily create exciting new imagery with our Quickclip Poster Frame. The 47" x 35" frame consists of four hinged sides that simply flip open to allow for graphics to be easily inserted. The frame with our grip connectors which are included, is doublesided for graphics on both sides of your queuing line. The QuickClip[™] Panel is currently available in Satin Aluminum(SA) or Wrinkle Black(WB) finishes.

50-BTA107/4 IN-LINE TABLE

Lavi Industries offers an In-Line Table that is sturdy and elegantly designed. By providing a writing surface, your customers can easily complete necessary paperwork before they reach the counter, which will increase customer flow. In-Line Tables are shipped assembled with connectors that easily attach to any Beltrac^{*} 3000 posts. The tables are 12" x 47-³/₄" and offered in Dark Gray(DG) and Birchwood(BW) finishes.



With optional pen holder.

NeXtrac[™] In-Line Retail System <mark>↓</mark> 37

50-NX102 Slat Wall Grid Panel

This 4' x 4' slat wall grid panel attaches to any Beltrac^{*} 3000 post with our grip connectors which are included. The wire grid is currently available in Satin Aluminum(C) or Matte Black(MB) finishes.



As Shown: with In-Line Table use part number 50-FP300S/4B.



FRAMED PANEL

The framed panel which includes our grip connectors, is an excellent method to display advertisements, logos and other messaging. Let our in-house art department produce your posters! Inserts available in clear or colored acrylic and vinyl coated foam core. Please see Page 23 under Post and Panel System for frame sizes.

BASKETS


Shown in Matte Black.

B1 – 808050 – Polished Chrome, 6"H x 12"W x 6"D B1 – 809040 – Matte Black, 6"H x 12"W x 6"D B2 – 808681 – Polished Chrome, 4"H x 24"W x 12"D B2 – 806772 – Matte Black, 4"H x 24"W x 12"D

Hooks

Shown in Matte Black.

H1 – 806773 – 8" Matte Black Scan Tag Hook H2 – 807235 – 6" Matte Black Single Hook





DISPLAY TRAYS

Tray Shelves are an elegant and contemporary method of displaying merchandise on a Beltrac^{*} 3000 post. The trays are 1/2" clear acrylic and are ready to install with the bracket and Grip Connector. Brackets are available in all Lido-Tone^{*} Finishes. 80-PA101/CL – Full Round Tray, 13-1/2" Diameter 80-PA102/CL – Half Round Tray, 8-1/2" W x 10-1/4" D 80-PA103/CL – Quarter Round Tray, 18-1/2"W x 12-7/8"D

Surfaces and Merchandisers

38 🏅 NeXtrac[™] In-Line Retail System

Banners and Signs

50-BRA100/C/PR BANNER ARM ASSEMBLY

Our adjustable Banner Arm Assembly can be attached to any Beltrac[®] 3000 post to display your banner or flag assembly. They are sold in pairs and are available in Satin Aluminum(C) finish. Banners sold separately.

International Passengers







Grab your customer's attention by using Street Signs. Street Signs easily attach to a post by attaching the grip connector into the dovetail groove on a Beltrac^{*} 3000 post. They are 5" x 23" and are shipped assembled with two 1/8" clear acrylic panels. These signs are doubled faced allowing you to display media on both sides of the sign. Graphics are sold separately.

FA100 Vertical Sign Clips

Vertical Sign Clips allow you the freedom to position a sign to any desired height on a Beltrac^{*} 3000 post. These clips are designed to hold ³/₈" acrylic panels in standard sizes of 3 ¹/₂" x 5 ¹/₂" and 7" x 11". Select any combination of connector and clip; Grip Connectors – Satin Aluminum(SA) or Matte Black(MB), Sign Clips – Polished Stainless Steel (40) or Satin Stainless Steel (44). Acrylic panels and artwork sold separately.





RIGID RAIL SIGNAGE

These framed signs are available in custom sizes and mount onto the Rigid Rail Assembly. Graphics sold separately.

Finishes & Specifications 1/2 39

Materials:

Lavi Industries utilizes premium materials for architectural interiors. Our products are designed to meet most building codes.

Solid brass and stainless steel are our choice materials for quality and durability. We finish these metals in-house, to maintain rigid quality control.

Warranty

Our products carry a limited warranty against defects and failure. Please refer to our current Price List for warranty details.

Ordering Information

1. Part Numbers and Finish Designation

When ordering, please use finish prefix as specified in the Materials and Finishes chart below.

| Example: | | | |
|---------------------|---|---|--|
| 10 -2010 | = | Polished Chrome Regal Traditional Post. | |
| 40 -41200 | = | Polished Stainless Steel | |
| | | Beltrac Infinity ^{12™} Post. | |
| 50 -4500GD = | | Bright Anodized Aluminum | |
| | | Gold Directrac [®] Post. | |

2. Drawings

Our engineering department will be happy to assist you with your specification requirements. Drawings of our products are available as needed. We can generate CAD drawings for your specific job, please consult us for details.



Lido-Tone powder coating is highly durable, as well as decorative. This two coat finish combines the outstanding chemical and mechanical properties of epoxies with a wide variety of colors and surface textures. When an exterior application is specified, a polyester-based coating will be utilized. See Lido-Tone standard color chart below. Custom colors and finishes are available. Please consult with your Sales Executive.

Lido-Tone Textured Finishes



Lido-Tone Wet-Look Finishes



Materials and Finishes

| FINISH | MATERIAL | PREFIX | MAINTENANCE | |
|-----------------------------|----------------------------|--------|---|--|
| Mill Brass | | 01 | Not Applicable. | |
| Polished Brass | Solid Brass | 00 | Lido-Lustre [™] , or other brass polish. | |
| Polished Brass, Clear Coat | Solid Drass | 02 | Dema was avaid ammonia base deen are | |
| Satin Brass, Clear Coat | | 04 | Damp rag, avoid ammonia base cleaners. | |
| | | | | |
| Mill Stainless Steel | | 41 | Not Applicable. | |
| Polished #7 Stainless Steel | Stainless Steel, Alloy 304 | 40 | Maintenance free or Lido-Lustre [™] . | |
| Satin #4 Stainless Steel | | 44 | Maintenance free. | |
| | | | | |
| | Solid Brass (Fittings) | 10 | | |
| Polished Chrome | Solid Brass (Tubing) | 12 | | |
| | Carbon Steel (Tubing) | 10 | | |
| | | | | |
| Lido-Tone | Solid Brass | 06 | Damp rag, avoid ammonia base cleaners. | |
| | Carbon Steel | 26 | Damp rag, avoid ammonia base cleaners. | |
| | Aluminum, Alloy 6061 | 56 | | |
| | | | | |
| Bright Anodized | Aluminum, Alloy 6063 | 50 | | |



Lido-Lustre[™] Metal Polish Cream should be used to repolish uncoated brass, aluminum and stainless steel. Available in 6.33 oz. tubes and 16 oz. jars.